

Advancing quality use of medicines in NSW

Fortnightly TAG Mail – resources list

20th June 2024

NSW TAG ACTIVITIES

Current Email Discussions

- -Local protocols for COVID-19 antivirals. Closes 28th June 2024
- -Feedback for TGA Proposed Updates to Medicine Labelling Rules. Closes 8th July 2024
- -Implementation of the Guiding Principles for Transition of Young People on Complex and/or Costly Medicines from Paediatric to Adult Care. Closes 12th July 2024

Recently Completed Email Discussions

- -Virtual Pharmacy Service for Patients being discharged from Hospital
- -Shingrix (updated following TAG General meeting 19th July)

Coming soon: Survey about protocols for critical care medicines.

Contact Sasha Bennett at <u>sasha.bennett@svha.org.au</u> for further information about any email discussions, publications or upcoming meetings.

EDITOR'S PICKS

AA: Clinical Decision Support as a Prevention Tool for Medication Errors in the Operating Room - link

AJHP: Evaluation of an electronic health record Drug Interaction Customization Editor (DICE) - link

AJHP: Practice-enhancing publications about the medication-use process in 2021 - link

AJHP: Critical care pharmacist perspectives on optimal practice models and prioritization of professional activities- link

AP: Editorial: Quality use of medicines: who owns it now? - link

AP: Deprescribing antihypertensive drugs in frail older adults - link

BJCP: Navigating methotrexate toxicity: Examining the therapeutic roles of folinic acid and glucarpidase - link

BJCP: Challenges for the improvement of valganciclovir prophylaxis in solid organ transplantation and the possible role of therapeutic drug monitoring in adults - link

BMJ: Wider use of tranexamic acid to reduce surgical bleeding could benefit patients and health systems - link

BMJ: Exploring different objectives in non-inferiority trials - link

BMJ: How an opioid giant deployed a playbook for moulding doctors' minds - link

BMJ QS: Editorial: Improving medication safety in both adults and children: what will it take? - link

CADTH: Infliximab for Immune Checkpoint Inhibitor Therapy-Related Toxicities - link

CADTH: Anticytokine Therapy and Corticosteroids for CRS and for Neurotoxicity Following T-Cell Engager or CAR T-Cell Therapy - <u>link</u>

DrugSaf: Risk factors associated with medication administration errors in children - link

EHJ: Low-dose aspirin for the prevention of atherosclerotic cardiovascular disease - link

EHJ: When cardiovascular medicines should be discontinued - link

EJCP: Inpatient case characteristics of SGLT2 inhibitor-associated diabetic ketoacidosis- link

IJCP: Characterising pharmacists' interventions in chronic non-cancer pain care-link

JAGS: Clinical impact of medication review and deprescribing in older inpatients- link

JAMA: Prolonged vs Intermittent Infusions of $\,\beta$ -Lactam Antibiotics in Adults with Sepsis or Septic Shock- link

JAMA: Continuous vs Intermittent β -Lactam Antibiotic Infusions in Critically III Patients with Sepsislink

JAMA: Povidone Iodine vs Chlorhexidine Gluconate in Alcohol for Preoperative Skin Antisepsis - <u>link</u> JPPR: Surface contamination of cytotoxic medicine in preparation and patient care areas in Australian hospitals- <u>link</u>

MDPI: Decoding Clozapine-Induced Agranulocytosis: Unraveling Interactions and Mitigation Strategies - link

PJ: - Pregabalin prescribing increases by almost 25% since restrictions imposed - link

OTHER NEWS

Australian Commission on Safety and Quality in Health Care (ACSQHC)

- Heavy Menstrual Bleeding Clinical Care Standard - report - media release - poster

NSW Health

- People aged 65 and over urged to book in for free flu vaccine as cases surge across NSW link
- Treatment of UTIs link
- Continuing Education Allowances in the Public Health System Nurses' And Midwives' (State) Award (PD2024 018)

TGA

- Update on the Vaping Reforms Bill 2024 link
- Update on the glucagon-like peptide-1 receptor agonists (GLP-1 RAs) pharmacy compounding changes $\underline{\text{link}}$

REPORTS AND PUBLICATIONS - AUSTRALIA

Agency for Clinical Innovation, NSW (ACI)

- The latest weekly Evidence Digest can be found here
- Management of traumatic haemorrhagic shock: Quick reference guide
- Clinical principles for specialist bereavement care in NSW link
- Perioperative care toolkit launched in new digital format link

Australian Commission on Safety and Quality in Health Care (ACSQHC)

- Introduction to High Risk Medicines - Updated eLearning Module - link

Australian Government Department of Health

- National 'Give Up For Good' campaign launched to tackle smoking and vaping - link - young people

Australian Institute for Health and Welfare (AIHW)

- National bowel cancer screening program monitoring report 2024 link factsheet
- Health of veterans: Australia's Health topic summary link
- Alcohol and other drug treatment services in Australia annual report link
- Chronic conditions and risk factors <u>updates</u>: Overweight & obesity; Heart, stroke & vascular diseases; Diabetes; Chronic kidney disease; Chronic musculoskeletal conditions; Chronic respiratory conditions; back problems; asthma; COPD; chronic conditions; gout; diet; OA; RA; multimorbidity; physical activity; alcohol & drug use treatment; veteran health

Australian Institute of Health Innovation (AIHI)

- Issue 20: The dangers of copying a previous order. Don't be a copycat
- Issue 21: The curious case of the 100-fold overdose

Deeble Institute

- Perspectives Brief No.31: Engaging stakeholders in healthcare innovation: How hard can it be?
- Issues <u>Brief No.55</u>: Harnessing data to improve patient care and prevent hospital-acquired complications
- Issues <u>Brief No.56</u>: Integrating oral health into primary healthcare for improved access to oral health care for rural and remote populations

PBS

- Update: Substitution for new brand of Budesonide + Formoterol listings - link

Pharmacy Council of NSW

- Cold Chain Management - link

TGA

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

- Update to listed medicine ingredients in June 2024 link
- Database of section 19A approvals to import and supply medicines to address medicine shortages

REPORTS AND PUBLICATIONS - INTERNATIONAL

Agency for Healthcare Research and Quality (AHRQ)

- Making Healthcare Safer IV—Summary of Findings on Year 1 Topics - link

Canadian Agency for Drugs and Technologies in Health

- Choline Supplementation for Infants, Children, and Pregnant People link
- Interferons, Glatiramer Acetate, and Minocycline for Relapsing-Remitting Multiple Sclerosis and Clinically Isolated Syndrome link
- Nabilone for Chronic Non-Cancer Pain link
- Infliximab for Immune Checkpoint Inhibitor Therapy-Related Toxicities link
- Anticytokine Therapy and Corticosteroids for Cytokine Release Syndrome and for Neurotoxicity Following T-Cell Engager or CAR T-Cell Therapy Link

electronic Medicines Compendium (eMC) (UK)

- New products
- -- Finlee (dabrafenib mesilate) 10 mg dispersible tablets indicated in combination with trametinib for patients ≥ 1 year old with: low-grade glioma with a BRAF V600E mutation, or high-grade glioma with a BRAF V600E mutation who have received at least one prior radiation and/or chemotherapy treatment -- Spexotras (trametinib dimethyl sulfoxide) 0.05 mg/ml powder for oral solution indicated in combination with dabrafenib for patients ≥ 1 year old with: low-grade glioma with a BRAF V600E mutation, or high-grade glioma with a BRAF V600E mutation who have received at least one prior radiation and/or chemotherapy treatment
- Revised SPCs
- -- BOTOX Allergan includes paediatric neurogenic detrusor overactivity and overactive bladder under posology with corresponding data updated in the undesirable effects and pharmacodynamic sections -- Brilique (ticagrelor) data included from two RCTs which found continuing single antiplatelet therapy for 9 and 12 months, respectively, post PCI has been shown to decrease the risk of bleeding with no observed increase in risk of major adverse cardiovascular events vs continued DAPT -- Nilemdo (bempedoic acid) and Nustendi (ezetimibe, bempedoic acid) licensed in adults with
- -- Nilemdo (bempedoic acid) and Nustendi (ezetimibe, bempedoic acid) licensed in adults with established/high risk of atherosclerotic cardiovascular disease, as an adjunct to correction of other risk factors in patients on a maximum tolerated dose of a statin and not adequately controlled with additional ezetimibe
- -- Timodine (hydrocortisone, dimeticone, benzalkonium chloride, nystatin) cream is a mild steroid and now labelled as such to simplify advice for patients in line with regulatory requirements

European Medicines Agency (EMA)

- Faster access to clinical trial information in Europe - link

Food and Drug Administration (FDA) USA

- FDA updates guidance on interchangeability link
- 9 Things to Know About Biosimilars and Interchangeable Biosimilars link
- FDA issues agency-initiated proposed order regarding OTC monograph drugs containing acetaminophen link
- Approvals
- -- pembrolizumab with chemotherapy for primary advanced or recurrent endometrial carcinoma
- -- repotrectinib for adult and pediatric patients with NTRK gene fusion-positive solid tumors
- -- <u>imetelstat</u> for low- to intermediate-1 risk myelodysplastic syndromes with transfusion-dependent anemia
- -- Sofdra (sofpironium) to treat primary axillary hyperhidrosis
- -- <u>Elevidys</u> (delandistrogene moxeparvovec-rokl) expanded approval for patients with Duchenne muscular dystrophy
- -- Durvalumab expanded to Endometrial Cancer

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

- -- Sarilumab for Polyarticular JIA
- -- Iqirvo (<u>elafibranor</u>) for adults with primary biliary cholangitis who do not respond to or cannot tolerate ursodeoxycholic acid

NHS Scotland

- Accepted for use:
- -- Epcoritamab (Tepkinly®) for relapsed or refractory diffuse large B-cell lymphoma
- -- Etrasimod (Velsipity®) for ulcerative colitis
- -- Glofitamab (Columvi®) for relapsed or refractory diffuse large B-cell lymphoma
- -- Momelotinib (Omijara®) for myelofibrosis-related splenomegaly or symptoms
- Accepted for restricted use:
- -- Tirzepatide (Mounjaro®) for weight management
- -- Voxelotor (Oxbryta®) for anaemia due to sickle cell disease (SCD)

National Institute for Health and Care Excellence (NICE) UK

- Pembrolizumab with trastuzumab and chemotherapy for untreated locally advanced unresectable or metastatic HER2-positive gastric or gastro-oesophageal junction adenocarcinoma (<u>TA983</u>)
- Voxelotor for treating haemolytic anaemia caused by sickle cell disease (TA981)
- Tafamidis for treating transthyretin amyloidosis with cardiomyopathy (TA984)

Specialist Pharmacy Services NHS UK

- Using and prescribing thiamine in alcohol dependence link
- New product evaluations May 2024 update
- Purchasing for safety link

The King's Fund (UK)

- Productivity in the NHS and health care sector - link

World Health Organisation (WHO)

- WHO releases report on state of development of antibacterials - link

MEDICATION SAFETY

electronic Medicines Compendium (eMC) (UK)

- Revised SPCs
- -- Alzain (pregabalin) suicidal ideation and behaviour reported in patients treated with anti-epileptic agents. Medical advice should be sought if signs emerge and consideration given to discontinuation -- Avelox (moxifloxacin) photosensitivity reactions and Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) added to SPC as ADRs of unknown frequency
- -- Bimzelx (bimekizumab) treatment of active moderate to severe hidradenitis suppurativa (HS; acne inversa) in adults with an inadequate response to conventional systemic HS therapy added
- -- Dulcolax (bisacodyl) new trial data as main effect is on the distal part of gut bisacodyl is ineffective in altering digestion or absorption of calories or essential nutrients in the small intestine
- -- Epistatus (midazolam) may have enhanced effects and prolonged duration in elderly patients, with a half-life that may be prolonged up to 4 times therefore use with caution in these patients
- -- Jemperli (dostarlimab) maximum dilution volume for infusion solution (250mL) for 500mg & 1000mg doses; corresponding minimum concentration for 1000mg dose (from 2 mg/mL to 4mg/mL)
- -- Lemsip (paracetamol, pseudoephedrine hydrochloride) addition of 'uncontrolled hypertension' and 'severe acute or chronic kidney disease or renal failure' as contraindications. Also cases of posterior reversible encephalopathy syndrome and reversible cerebral vasoconstriction syndrome reported
- -- Locoid (hydrocortisone butyrate) warning not to smoke or go near naked flames due to risk of severe burns as fabric in contact burns more easily & is a serious fire hazard. Washing clothing & bedding may reduce product build-up but not totally remove it. Also now labelled as moderate steroid.
- -- Magnevist (gadopentetic acid dimeglumine) must not be used intrathecally; serious, life-threatening and fatal cases, primarily with neurological reactions (e.g. coma, encephalopathy, seizures) reported

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

- -- Onpattro (patisiran sodium) list of premedication that should be given at least 60 minutes prior to the start of each infusion has been amended, to replace ranitidine 50mg with famotidine 20mg
- -- Oxbryta (voxelotor) pruritis (common) and angioedema (frequency not known) added as ADRs
- -- Robitussin (guaifenesin, pseudoephedrine hydrochloride) posterior reversible encephalopathy (PRES)/reversible cerebral vasoconstriction syndrome (RCVS) as ADRs which are rare pseudoephedrine adverse effects. Symptoms include sudden severe headache, nausea, vomiting & visual disturbances. Discontinue product if PRES/RCVS suspected
- -- Qdenga (dengue tetravalent vaccine live, attenuated) warning dengue diagnostic tests may be positive during vaccine viremia and cannot be used to distinguish vaccine viremia from wild type dengue infection
- -- Sivextro (tedizolid phosphate) following post-marketing experience that co-administration of tedizolid with serotonergic agents can increase risk of serotonin syndrome. These patients should be monitored for cognitive dysfunction, hyperpyrexia, hyperreflexia & incoordination
- -- Testavan (testosterone) transdermal gel updated to note the product contains 46.84%w/w ethanol, and it may cause a burning sensation on damaged skin. Because alcohol-based products are flammable, avoid fire, flame or smoking until the gel has dried
- -- Vitaros (alprostadil) cream updated to highlight that Vitaros contains 50mg/g (5%w/w) ethanol, and may cause a burning sensation on damaged skin
- -- Zinforo (ceftaroline fosamil) reports of hypersensitivity reactions which progressed to Kounis syndrome (acute allergic coronary arteriospasm that can result in myocardial infarction) with other beta-lactam antibiotics

EMA

- CAR T-cell medicines: PRAC identifies risk of secondary malignancies of T-cell origin link
- PRAC to perform a safety review of metamizole, a painkiller medicine link

Medicines and Healthcare products Regulatory Agency (MHRA) UK

- Drug Safety Update May 2024
- -- Topical steroids: introduction of new labelling and a reminder of the possibility of severe side effects, including Topical Steroid Withdrawal Reactions link

Specialist Pharmacy Services NHS UK

- Anticoagulant suggestions for adults with swallowing difficulties link
- Antiplatelet suggestions for adults with swallowing difficulties link
- PPI suggestions for adults with swallowing difficulties link

TGA

- Shortages of Vyvanse (lisdexamfetamine dimesilate) capsules link
- Serious Scarcity Substitution Instruments (SSSIs) link
- Making therapeutic goods safer for everyone new ADR reporting system link
- Compounded weight-loss medicines public awareness campaign link

PAPERS OF INTEREST

American Journal of Cardiology

- P2Y12 Inhibitor Monotherapy After Short-Term Dual Antiplatelet Therapy in Acute Coronary Syndrome - link

American Journal of Health-System Pharmacy (AJHP)

- Evaluation of an electronic health record Drug Interaction Customization Editor (DICE) link
- Determining QTc in acute care settings: What we (don't) know link
- A pilot project implementing a team-based approach for remote physiologic monitoring in an accountable care organization $\underline{\text{link}}$
- How critical is it? Integrating critical care into the pharmacy didactic curriculum link
- Practice-enhancing publications about the medication-use process in 2021 link

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au
An initiative of NSW clinical pharmacologists & pharmacists

- Critical care pharmacist perspectives on optimal practice models and prioritization of professional activities: A cross-sectional survey link
- Critical care clinical pharmacy value-based metrics: Time to terminate widget counting link
- Pharmacist consult to prevent hypoglycemia in adult inpatients with renal dysfunction link

Anesthesia & Analgesia

-Clinical Decision Support as a Prevention Tool for Medication Errors in the Operating Room: A Retrospective Cross-Sectional Study -<u>link</u>

Annals of Internal Medicine

- COVID-19 Vaccine Side Effects and Long-Term Neutralizing Antibody Response: A Prospective Cohort Study link
- In the clinic: Type 2 Diabetes link
- Metformin Use in the First Trimester of Pregnancy and Risk for Non-live Birth and Congenital Malformations: Emulating a Target Trial Using Real-World Data Link
- Paternal Use of Metformin During the Sperm Development Period Preceding Conception and Risk for Major Congenital Malformations in Newborns <a href="https://link.gov/link.

Arthritis & Rheumatology

- Hydroxychloroquine Dose and Hospitalizations for Active Lupus - link

Australian Health Review

- Exploring palliative care practice and learning needs of allied health professionals in the Loddon Mallee region of Victoria: a cross-sectional survey <a href="https://link.com/li
- Using emergency department data to define a 'mental health presentation' implications of different definitions on estimates of emergency department mental health workload <u>link</u>

Australian Prescriber

- Editorial: Quality use of medicines: who owns it now? link
- New and emerging drug therapies for Alzheimer disease link
- Controversies in the management of community-acquired pneumonia in adults link
- Deprescribing antihypertensive drugs in frail older adults link
- Medicinal mishap: Thiopurines and risk of lymphoproliferative disorders link
- Letter: Lipid-lowering therapy in patients with a 'normal' LDL-C link
- Letter: Additional preconception considerations for patients with diabetes link
- Latest News: Medicines Repurposing Program supporting new uses for existing medicines link
- New drug: Inclisiran for hypercholesterolaemia; Recombinant respiratory syncytial virus (RSV) vaccines for older adults, and pregnant women to prevent disease in their infant; Nirsevimab for prevention of respiratory syncytial virus (RSV) lower respiratory tract disease in neonates and infants TGA Medicines Safety Update summary: Updated warnings about persistent sexual dysfunction for antidepressants link

British Journal of Clinical Pharmacology

- 'Under pressure': The role of therapeutic drug monitoring in the treatment of hypertension link
- Drug-drug interactions between gender-affirming hormone therapy and antiretrovirals for treatment/prevention of HIV link
- In depth: The drug interaction between trimethoprim-sulfamethoxazole and folic acid/folinic acid link
- Past, present and future of drug safety link
- Impact of CYP2D6*2A, CYP2D6*4 and CYP3A5*3 genetic polymorphisms on bisoprolol peak concentration and clinical response in acute coronary syndrome patients <u>link</u>
- Navigating methotrexate toxicity: Examining the therapeutic roles of folinic acid and glucarpidase link
- Challenges for the improvement of valganciclovir prophylaxis in solid organ transplantation and the possible role of therapeutic drug monitoring in adults link

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

- A potential novel treatment for cirrhosis-related ascites: Empagliflozin is safe and tolerable in advanced chronic liver disease - <u>link</u>

British Journal of General Practice

- Interventions to improve medication adherence in adults with mental–physical multimorbidity in primary care: a systematic review <u>link</u>
- Estimating the prevalence of potential and actionable drug-gene interactions in Irish primary care: A cross-sectional study <u>link</u>

British Medical Journal (BMJ)

- Mailed feedback to primary care physicians on antibiotic prescribing for patients aged 65 years and older: pragmatic, factorial randomised controlled trial <u>link</u>
- Analysis: Why digital innovation may not reduce healthcare's environmental footprint link
- When I use a word .. .The languages of medicines—trade names, proprietary names, or brand-names link
- Antiplatelet therapy after coronary artery bypass surgery: five-year follow-up of randomised DACAB trial link
- Pigmented skin lesions link
- How an opioid giant deployed a playbook for moulding doctors' minds link
- Global burden of type 1 diabetes in adults aged 65 years and older, 1990-2019: population based study <u>link</u>
- Vitamin B12 deficiency: NICE guideline summary link
- Wider use of tranexamic acid to reduce surgical bleeding could benefit patients and health systems link
- Exploring different objectives in non-inferiority trials link
- Recognition, diagnosis, and early management of suspected sepsis: summary of updated NICE guidance $\underline{\text{link}}$

BMJ Quality and Safety

- Global, regional and national time trends in incidence of adverse effects of medical treatment, 1990–2019: an age–period–cohort analysis from the Global Burden of Disease 2019 study <u>link</u>
- Systematic review: Rapid response systems, antibiotic stewardship and medication reconciliation: a scoping review on implementation factors, activities and outcomes <u>link</u>
- Editorial: Improving medication safety in both adults and children: what will it take? link
- Raising the barcode: improving medication safety behaviours through a behavioural science-informed feedback intervention link

Circulation

- Effect of Sacubitril/Valsartan on Cognitive Function in Patients with Heart Failure with Preserved Ejection Fraction: A Prespecified Analysis of PARAGON-HF - Link

Cochrane

- Immunosuppressive therapy for IgA nephropathy in children - link

Diabetes Care

- Efficacy and Safety of GLP-1 Medicines for Type 2 Diabetes and Obesity link
- Impact of COVID-19 and Non-COVID-19 Hospitalized Pneumonia on Longer-Term Cardiovascular Mortality in People With Type 2 Diabetes: A Nationwide Prospective Cohort Study From Scotland link

Drug Safety

- Risk factors associated with medication administration errors in children: a prospective direct observational study of paediatric inpatients - <u>link</u>

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au
An initiative of NSW clinical pharmacologists & pharmacists

An initiative of Novy clinical pharmacologists & pharmacist

Drug and Therapeutics Bulletin

- DTB select: Safety update- psychiatric and sexual adverse effects with finasteride link
- DTB select: Switching frail older people with AF from a vitamin K antagonist to a DOAC link
- Republished case reports
- -- Angioedema without urticaria after recent initiation of celecoxib link
- -- Diagnostic dilemma: drug-induced vasculitis versus systemic vasculitis link
- -- Steroid-induced glaucoma: an avoidable cause of irreversible blindness link
- -- Methylphenidate-associated chest pain in a child link
- -- Acute eosinophilic pneumonia-like syndrome post-initiation of vortioxetine link

European Heart Journal

- Low-dose aspirin for the prevention of atherosclerotic cardiovascular disease link
- When cardiovascular medicines should be discontinued link
- Office measurement vs. ambulatory blood pressure monitoring: associations with mortality in patients with or without diabetes <u>link</u>
- Alcoholic cardiomyopathy: an update link
- Evinacumab in homozygous familial hypercholesterolaemia: long-term safety and efficacy link
- Perinatal depression and risk of maternal cardiovascular disease: a Swedish nationwide study link

European Journal of Hospital Pharmacy

- Inpatient case characteristics of SGLT2 inhibitor-associated diabetic ketoacidosis: a retrospective study link
- Harm to a child caused by the off-label use of prochlorperazine maleate tablets due to the discontinuation of licensed prochlorperazine mesilate liquid in the UK link
- Letter: HMGCR-associated myopathy in polymorbid patients with polypharmacy should not be attributed solely to statins <u>link</u>
- Physical compatibility of ceftriaxone and cefepime in 0.45% sodium chloride, Ringer's lactate solution, and Plasma-Lyte A \underline{link}
- Medication safety strategies in European adult, paediatric, and neonatal intensive care units: a cross-sectional survey $\underline{\text{link}}$

Explor Res Clin Social Pharm

- Incidence of drug-related adverse events related to the use of high-alert drugs: a systematic review of randomized controlled trials - link

International Journal of Clinical Pharmacy

- Impact of pharmacist-evaluated clinical decision support system alerts on potentially missing or inappropriately prescribed proton pump inhibitors at hospital discharge: a retrospective cross-sectional study link
- Comparative efficacy and safety of six angiotensin II receptor blockers in hypertensive patients: a network meta-analysis link
- Optimizing vancomycin dosing in pediatrics: a machine learning approach to predict trough concentrations in children under four years of age <u>link</u>
- Characterising pharmacists' interventions in chronic non-cancer pain care: a scoping review link
- Diagnostic evaluation of hypersensitivity reactions to arylpropionic acid derivatives: a descriptive observational study focusing on clinical characteristics and potential risk factors in children link

International Journal for Quality in Health Care

- Prescribing antibiotics for children with dengue infection in Taiwan: Who are at risk and who are high prescribers? - link

JAGS

Clinical impact of medication review and deprescribing in older inpatients: A systematic review and meta-analysis- link

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

JAMA

- Prolonged vs Intermittent Infusions of β -Lactam Antibiotics in Adults with Sepsis or Septic Shock: A Systematic Review and Meta-Analysis <u>link</u>
- Continuous vs Intermittent β -Lactam Antibiotic Infusions in Critically III Patients With Sepsis: The BLING III Randomized Clinical Trial <u>link</u>
- Management of Depression in Adults: A Review link
- Patient Page: What Should I Know About Recurrent UTIs in Older Women? link
- JAMA Guide to Statistics and Methods: Test-Negative Study Designs for Evaluating Vaccine Effectiveness link
- Low-Dose Corticosteroids for Critically III Adults with Severe Pulmonary Infections: A Review link
- Dapagliflozin for Critically III Patients with Acute Organ Dysfunction: The DEFENDER Randomized Clinical Trial link
- Povidone Iodine vs Chlorhexidine Gluconate in Alcohol for Preoperative Skin Antisepsis: A Randomized Clinical Trial link
- Interventions for High Body Mass Index in Children and Adolescents: US Preventive Services Task Force Recommendation Statement <u>link</u>

JAMA Cardiology

- Climate Change and Cardiovascular Health: A Systematic Review link
- Postpartum Ambulatory Blood Pressure Patterns Following New-Onset Hypertensive Disorders of Pregnancy $\underline{\text{link}}$
- Multifaceted Intensive Blood Pressure Control Model in Older and Younger Individuals with Hypertension: A Randomized Clinical Trial <u>link</u>

JAMA Dermatology

- Clinical Characteristics Associated With Response to Biologics in the Treatment of Psoriasis: A Meta-analysis - link

JAMA Internal Medicine

- Nirmatrelvir-Ritonavir and Symptoms in Adults With Postacute Sequelae of SARS-CoV-2 Infection: The STOP-PASC Randomized Clinical Trial link
- Electronic Cigarettes vs Varenicline for Smoking Cessation in Adults: A Randomized Clinical Trial <a href="https://link.ncb.nlm.nc
- Overdose, Behavioral Health Services, and Medications for Opioid Use Disorder After a Nonfatal Overdose <u>link</u>

JAMA Neurology

- Acetaminophen and Ibuprofen in Pediatric Central Nervous System Malaria: A Randomized Clinical Trial <u>link</u>
- Angiotensin Receptor Blockers for Hypertension and Risk of Epilepsy link

JAMA Oncology

- Cardiovascular Events and Androgen Receptor Signaling Inhibitors in Advanced Prostate Cancer: A Systematic Review and Meta-Analysis link
- Comprehensive Audiologic Analyses After Cisplatin-Based Chemotherapy link
- Home Time Among Older Adults with Acute Myeloid Leukemia Following Chemotherapy link

Journal of Pharmacy Practice and Research (JPPR)

- Surface contamination of cytotoxic medicine in preparation and patient care areas in Australian hospitals: a retrospective cross-sectional study - Link

Lancet

- Long-term colchicine for the prevention of vascular recurrent events in non-cardioembolic stroke (CONVINCE): a randomised controlled trial link
- Persistent physical symptoms: definition, genesis, and management link

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au
An initiative of NSW clinical pharmacologists & pharmacists

- Peptic ulcer disease - link

Lancet Diabetes & Endocrinology

- Call for effective therapies for preventing dementia in people with type 2 diabetes - link

Lancet Gastroenterology and Hepatology

- Clinical management of liver cyst infections: an international, modified Delphi-based clinical decision framework - link

Lancet Haematology

- Thrombotic risk and features of patients with inferior vena cava agenesis: a multicentre, retrospective, observational study - link

Lancet Infectious Diseases

- Effectiveness and safety of modified fully oral 9-month treatment regimens for rifampicin-resistant tuberculosis: a prospective cohort study - link

Lancet Neurology

- Recent advances in diagnosing, managing, and understanding the pathophysiology of cluster headache link
- Tenecteplase versus alteplase for thrombolysis in patients selected by use of perfusion imaging within 4.5 h of onset of ischaemic stroke (TASTE): a multicentre, randomised, controlled, phase 3 non-inferiority trial link

Lancet Psychiatry

- Incidence of antidepressant discontinuation symptoms: a systematic review and meta-analysis - link

Lancet Public Health

- Early adulthood BMI and cardiovascular disease: a prospective cohort study from the China Kadoorie Biobank - link

Lancet Oncology

- Bortezomib, thalidomide, and dexamethasone with or without daratumumab and followed by daratumumab maintenance or observation in transplant-eligible newly diagnosed multiple myeloma: long-term follow-up of the CASSIOPEIA randomised controlled phase 3 trial - link

Lancet Respiratory Medicine

- Long-term outcomes of early exposure to repeated general anaesthesia in children with cystic fibrosis (CF-GAIN): a multicentre, open-label, randomised controlled phase 4 trial link
- Editorial: Respiratory syncytial virus vaccines: the future is bright link
- Biological and therapeutic implications of the cancer-related germline mutation landscape in lung cancer link
- Potential for personalised and biomarker-guided COPD self-treatment approaches link

Molecular Diversity Preservation International (MDPI)

- Decoding Clozapine-Induced Agranulocytosis: Unraveling Interactions and Mitigation Strategies link

Medical Journal of Australia

- A summary of the 2023 Society of Obstetric Medicine of Australia and New Zealand (SOMANZ) hypertension in pregnancy guideline <u>link</u>
- Dying of heart failure: how do we improve the experience? link

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

Nature

- Combined use of Donepezil and Memantine increases the probability of five-year survival of Alzheimer's disease patients - $\underline{\text{link}}$

New England Journal of Medicine

- Bulevirtide Combined with Pegylated Interferon for Chronic Hepatitis D link
- Magnesium Disorders link
- Tirzepatide for Metabolic Dysfunction-Associated Steatohepatitis with Liver Fibrosis link
- A randomized trial of intravenous amino acids for kidney protection link
- Risk of Second Tumors and T-Cell Lymphoma after CAR T-Cell Therapy link
- Diets link
- Community-Based Cluster-Randomized Trial to Reduce Opioid Overdose Deaths link
- Reteplase versus Alteplase for Acute Ischemic Stroke link
- Stress Ulcer Prophylaxis during Invasive Mechanical Ventilation link
- Tenecteplase for Ischemic Stroke at 4.5 to 24 Hours without Thrombectomy link

Pediatrics

- Modification of Electronic Nicotine Delivery Systems Among Adolescents and Young Adults link
- Acute Kidney Injury in Neonates: A Meta-Analysis link
- Acute Kidney and Liver Injury Associated With Low-Dose Liraglutide in an Obese Adolescent Patient
- Emergency Department Antibiotic Prescribing for Pediatric Urinary Tract Infections, 2011–2020 link
- Hospital Quality Indicators for Opioid-Exposed Infants: Results From an Expert Consensus Panel link

Pharmacotherapy

- Incidence of serious infections in the working-age Japanese adult population with rheumatoid arthritis treated with tumor necrosis factor- α inhibitors and interleukin-6 inhibitors: A nationwide retrospective cohort study - $\underline{\text{link}}$

Pharmaceutical Journal

- Pregabalin prescribing increases by almost 25% since restrictions imposed link
- Conference report: Bariatric surgery produces greater and more durable weight loss than glucagon-like peptide-1 receptor agonists (GLP-1 RAs) and lifestyle interventions <u>link</u>
- Number of patients at risk of type 2 diabetes increases by half a million in one year link

Stroke

- Anticoagulation Versus Antiplatelets in Spontaneous Cervical Artery Dissection: A Systematic Review and Meta-Analysis - link

Thorax

- Early menopause and hormone therapy as determinants for lung health outcomes: a secondary analysis using the PLCO trial link
- Undertreating cardiovascular disease in people with chronic obstructive pulmonary disease (COPD) link
- Quantifying sustained health system benefits of primary care-based integrated disease management for COPD: a 6-year interrupted time series study link

CONSULTATIONS

Pharmacy Board of Australia

- Have your say on the draft Criminal history registration standard and supporting materials, closes 30 July 2024 - <u>link</u>

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists

TGA

- Consultation: updates to Australian medicine labelling rules to support medicine safety, closes 11 July 2024 - <u>link</u>

WEBINARS & PODCASTS

Australian Prescriber Podcasts

- Episode 165 - Assessing, communicating and managing cardiovascular disease risk

FDA Division of Drug Information is presenting a series of CE webinars

- FDA Drug Topics: Fraudulent Drugs: You're Using What? - May 21, 2024

MJA Podcasts

- Episode 20: What patients need to know about gastric and oesophageal cancer

Purple Pen Podcast

- <u>PPP 162</u> - Impetigo

UPCOMING EVENTS

Australian Commission on Safety and Quality in Health Care (ACSQHC)

- NMS 2024 - save the date, 19 November 2024 - link

Australian Government Department of Health

- Delivering high quality, person-centred palliative care in aged care, webinar, 25 June 2024 14:00-15:00 AEST - link - register

FDA

- Rx Drug Promotion and the Clear, Conspicuous, and Neutral Final Rule, virtual, 26 Jun 2024
- Understanding Current Use of Ketamine for Emerging Areas of Therapeutic Interest, hybrid, 27 June

Society of Hospital Pharmacists (SHPA)

- Medicines Management 2024 MM2024, Adelaide, 14-16 November 2024 – abstract submission closes 15 July 2024 - early-bird registration closes 11:59pm AEST Thursday 3 October 2024

Advancing quality use of medicines in NSW public hospitals and the wider community since 1988 Ph: 0407418 072 | Email: nswtag@stvincents.com.au | www.nswtag.org.au

An initiative of NSW clinical pharmacologists & pharmacists